Modelling indigenous counting systems for base-10 and related applications: Abureni numerals as case study

Daniami Etire
DIPATO Capability Management Consultants Ltd
dan.etire@dipato.com

Abstract

Indigenous counting systems and numbering have unique attributes that are linked to the cultures of their speech communities. Indigenous people have used various methods of counting and numbering things based on the meaning they intend to communicate, in terms of their value and significance. A counting system starts from small simple singleword numbers and grows to large complex numbers that may be descriptive in nature. As the numbers increase, they become more difficult to count, requiring the use of certain key numerals as pivots to produce their multiples in a cyclical pattern. However, these pivotal numerals upon which a particular counting system is based vary from one tradition to another. The introduction of base-10, the concept of 'zero' as a number, and the use of binary logic in digital technology have become universal standard methods of addressing such ethno-cultural variations. They are significant in the discourse of language and globalization, especially in the computation and business environment of today. This paper seeks to contribute to the discussion on the need to model the features of indigenous counting systems such that they benefit from the inherent gains of base-10 and related applications of the modern day. It adopts a semantic-pragmatic approach to describe and analyse indigenous numbering patterns against those of base-10, using the Abureni numerals as the data for the study. The objective is to show the points of synergy that the numerals could be modeled for base-10 applications in a manner that they sound natural in the indigenous language, in terms of context and meaning. The paper concludes that the features of an indigenous counting system can be patterned to produce a base-10 model of it, without disrupting the traditional numbering pattern of the target language.

Key Words: Indigenous counting system, numbering, modelling, base-10, Abureni numerals.

1. Introduction

The Abureni language is spoken in the southern border communities of Bayelsa and Rivers States of Nigeria. It is classified under Niger-Congo, Atlantic-Congo, Volta-Congo, Benue-Congo, Cross River, Delta Cross, Central Delta (Williamson, 1989, p. 261).

According to Chan (2020), Abureni has a vigesimal numeral system like that of the Ogbia language, suggesting it exhibits certain characteristics of base-20. Etire (2015) notes that in mathematical and computing terms, the Abureni numeral system should be described as having the primary features of base-4 numeral system but using the 1st and 2nd indices of 10 as multipliers.

The word 'base' has been defined in terms of the use of numbers built on a numeration scale by the *Oxford Lexicon* (2021). For Weisstein (2021), 'base' in mathematics is used to refer to a particular mathematical object that is used as a building block.' He further observes that it is the number system that defines logarithms. Specifically, the base-10 and base-4 notational systems feature in the discourse with some of the numbers expressed in scientific notations as defined below:

<u>Base10</u>: Decimal is the base-10 notational system for representing real numbers (Weisstein, 2021).

<u>Base-4</u> or quaternary: of, relating to, or being a number system with a base of four (Merriam-Webster Dictionary, 2021).

<u>Standard form</u> or scientific notation of a number: a notation that consists of the product of the number with the power of 10s (EasyCalculations, 2021).

<u>Forty</u>: a number equal to four times 10 (Merriam-Webster, 2021); the cardinal number equal to 4 x 10 (American Heritage Dictionary, 2011).

In the Abureni traditional numeral system, the pivotal numerals '40' and '400' are used to produce higher numbers in a cyclical pattern. The process becomes more difficult as the numbers increase compared to base-10 or decimal systems, where large figures are easier to calculate as multiples of the numeral 10. This calls for the need to produce a base-10 model of the indigenous counting system to keep pace with modern computation techniques brought about by globalization. For such an option to be acceptable to the people, it is necessary to fashion it in a manner that the numerals sound natural in their indigenous language, in terms of context and meaning, without fear of losing the traditional counting system.

Counting of numbers is done progressively, and as the values increase in traditional counting methods such as the vigesimal system, it becomes more complicated to count. Certain key numbers are used as pivots to derive their multiples in attempt to calculate large numerical values, doing so in a recurring pattern. However, these pivotal numbers upon which a particular counting system is based varies from one tradition to another (Ikoko-Okparan et al, 2007). Some scholars see the issue as opportunity for people to consider alternative counting systems and make their choices that would meet their needs. According to Beardon (2010), people are accustomed to writing numbers in base ten, but numbers can be written in any number base and vice versa. For example, Awoyale (2020) in Urua et al (2020) notes that the Yoruba Language has efficiently sustained both traditional and decimal systems, corroborating Beardon's view. On the issue of functional relevance of the decimal system, Awoyale (2020) further observes that it represents the future of the technological age. Dada et al (2015) in Ugorji and Yuka (2015), note that when two languages come in contact in such a manner, maintenance of the indigenous language becomes necessary to avoid a total shift to the one with greater influence.

We acknowledge the ongoing work on cardinal numeral systems and traditional numerals with tones, under the Counting Concepts and Numeral Systems Project with focus on African Languages in Chan (2020). It captures traditional numerals with tones such as the features of Abureni numerals (Etire 2020). Some scholars have produced variations of base-10 counting system in their enumeration such as Madighi (2019) on Abuan, a neighbouring language to Abureni in same classification.

A semantic-pragmatic approach is used to describe and analyse the indigenous numbering patterns against those of base-10, built on Grice's theory of conversation and meaning. Herbert Paul Grice (1913-1988) was an eminent British philosopher and linguist who propounded the theory in 1948 and first published in 1957. According to Grandy (1989), the writings on meaning had since been published at intervals over a 30-year period with variants and objections and commentaries. He proposed four conversational maxims that arise from the pragmatics of natural language (Benton, 2020). These maxims, also called Gricean maxims, are quantity (the need to be informative as much as possible), quality (the need to be truthful), relation (the need to be relevant), and manner (the need to be clear). Some scholars acknowledge the maxims as useful tools to explain the meaning of what a speaker intends to communicate such that the recipient understands without ambiguity. For example, Betti (2021) notes that the Gricean maxims are 'a way to explain the link between utterances and what is understood from them.' Similarly, Shatz (2019) views them as 'a set of observations that describe how people communicate when they want to be properly understood,' and that they can be used as guiding principles.

The reason for this choice is the need to make meaning out of the model that is being introduced as an alternative to the traditional counting system. The thrust is to present the data in a way that the features of base-10 model sound natural and acceptable to the people. According to Wilson and Sperber (1981), the key benefit of Grice's approach is 'the illustration of facts and constraints in texts, thus showing the semantic consequences for communication quality.' Similarly, in a discourse on the use of language to communicate, Morris (2006) observes that what is meant in one language is always open to being captured in another language and that making meaning central enhances understanding. This gives credence to the maxim of quality, where one tries to be truthful by providing information that is supported by evidence instead of something that is false. With such an approach, the native speakers would be in a better position to accept the new system and its applications without fear of losing their traditional counting system.

The scope of this study covers the traditional counting system in Abureni, including aspects of the modern international counting system of base-10, stated in Abureni terminology. It states how the Abureni numerals are built around the base four (4) and the base ten (10) number bases described in Beardon (2000). The role played by certain key and recurring numerals in the counting process is stated to ensure understanding of the basics. The four numerals: 'four (4)', 'twenty (20)', 'forty (40)' and 'four hundred (400)' fall in this category.

2. The data

The data is a collection of numerals selected from the Abureni counting system and the decimal system. They include the pivotal and recurring numerals which are critical in the analysis of the traditional counting method.

The first ten numerals: 10 samples

 1. ònîn /ònîn/
 6. odin /òdìn/

 2. <u>i</u>wal /ìwàl/
 7. odual /òdùèl/

3. <u>i</u>sar /ìsàr/

8. obhabhanya /òβàβànâ/

4. inya /ìŋò/
 5. ogho /òyò/
 9. esugho [ésùyó]
 10. dìòbh /dìòβ/

Numeral 10 (ten) and its powers: 10 samples.

10. diobh /dìòβ/

100. <u>i</u>wal ewala na adusubh /ìwàl èwálá nà àdùsúβ/
1000. <u>i</u>wal onir na ogho ewala /ìwàl ànîr nà òyò èwálá/
10,000. <u>a</u>dusubh na ogho onir /àdùsúβ nà òyò ànîr/

100,000. odin ewala na diobh onir /òdin èwálá nà dìoβ ònîr/

1,000,000. odin onir na iwal ewala na adusubh onir

/òdìn ònîr nà ìwal èwala nà òdùsuß ónǐr/

10,000,000. erabharabh na iwal onir na ogho ewala onir

/èráβàràβ nè ìwàl ònîr nè òyò èwálá ónǐr/

100,000,000. onir na ogho ewala na adusubh na ogho onir onir

/ònîr nò òyò èwálá nò òdùsúß nò òyò ònîr ònîr/

1,000,000,000. diobh na ogho onir na odin ewala na diobh onir

/dìòβ nà òyò ànîr nà òdìn èwálá nà dìoβ ànîr ànîr/

10,000,000,000.

isar ewala na adusubh diobh na odin onir na iwal ewala na adusubh onir onir /isàr èwálá nò òdùsúβ dìoβ nò òdìn ònîr na iwal èwálá nò òdùsúβ ònîr ònîr/

Numeral 40 (forty) as a pivot and its cyclical counts: 10 samples.

40. erubal /èrúbèl/

80. iwal ewala /ìwàl èwálá/

120. <u>i</u>sar ewala /isar ewala/

160. inya ewala /ìnò èwálá/

200. ogho ewala /òyò èwálá/

240. odin ewala /òdìn èwálá/

280. odual ewala /òdùèl èwálá/

320. obhabhanya ewala /òβàβànâ èwálá/

360. esugho ewala /ésùyó èwálá/

400. onir /ònîr/ (diobh ewala /dìòβ èwálá/)

Numeral 400 (four hundred) as a pivot and its powers: 4 samples.

400. onir /\(\delta\)nîr/

160,000. onir onir onir /ànîr ànîr ánîr/

64,000,000 onir onir onir onir />
'ànîr ànîr ánîr ánîr/

Selected numerals between 400 and 1,000: 6 samples

- 444. ònîr nà èrúbàl nà ìnyà /ònîr nò èrúbòl nò ìnò/
- 503. ònîr nà ìwal èwala nà àdùsûbh nà ìsar/onîr nò ìwal èwala nò ìsar/
- 660. ònîr nà òdìn èwálá nà àdùsûbh /ònîr nò òdìn èwálá nò òdùsûβ/
- 729. òn<u>î</u>r nà òbhàbhànyâ èwálá nà ésùghó /ònîr nò òβàβàná èwálá nò ésùyó/
- 875. <u>ì</u>wàl òn<u>î</u>r nà èrábhàràbh nù diòbh na òghò /iwàl òn<u>î</u>r nè èráβàràβ nù dìòβ nè òyò/
- 972. ìwàl ònîr nà ìnyà èwálá nà diòbh na ìwàl /ìwàl ònîr nò ìnò èwálá nò dìòß nò ìwàl/

Selected numerals between 1,000 and 1,000,000: 4 samples

1438. <u>ì</u>sàr òn<u>î</u>r n<u>à</u> òghò <u>è</u>wálá n<u>à</u> à<u>d</u>ùsûbh <u>d</u>iòbh n<u>a</u> <u>ò</u>bhàbhànyâ /ìsàr òn<u>î</u>r nò òyò <u>è</u>wálá nò ò<u>d</u>ùsûβ <u>d</u>ìòβ nò ò<u>β</u>àβànà/

10,041 àdùsûbh nà òghò ònîr nà èrúbàl nà ònîn /àdùsûβ nà òyò ònîr nà èrúbàl nà ònîn/

16,064. èrúbàl ònîr nà èráβàràβ nà ìnyà /èrúbàl ònîr nà èráβàràβ nà ìnà/

158,280. ésùghó èwálá nà àdùsûbh dìòbh na òghò ònîr na òdùàl èwálá /ésùγó èwálá nà òdùsûβ dìòβ nà òγò ònîr nà òdùàl èwálá/

Sample numerals in base-10 expressed in Abureni terms

10 (ten) as a pivotal numeral and counting in tens: 10 samples.

10. diobh /dìòβ/	60. odin diobh /òdin diòβ/
20. <u>i</u> wal diobh /ìwàl dìòβ/	70. odual diobh /òdùàl dìòβ/

30. <u>i</u>sar diobh /isàr dìòβ/ 80. obhabhanya diobh /òβàβànâ dìòβ/

40. inya diobh /ìnà dìòβ/
50. ogho diobh /òyò dìòβ/
100. diobh diobh /dìòβ dìòβ/

100 (one hundred) as a pivotal numeral and counting in hundreds: 10 samples.

100. diobh diobh	600. odin diobh diobh
200. <u>i</u> wal diobh diobh	700. odual diobh diobh
200 : 1: 11 1: 11	000 11 11 11 11 11

300. <u>i</u>sar diobh diobh 400. inya diobh diobh 500. ogho diobh diobh 1,000. diobh diobh

1,000 (one thousand) as a pivotal numeral and counting in thousands: 10 samples.

1,000. diobh diobh /dìòβ dìòβ dìòβ/

2,000. iwal diobh diobh /iwal dìòβ dìòβ dìòβ/

3,000. isar diobh diobh diobh /isar dìòβ dìòβ dìòβ/

- 4,000. inya diobh diobh diobh /ìnà dìòβ dìòβ dìòβ/
- 5,000. **ogho** diobh diobh diobh /òyò dìòβ dìòβ dìòβ/
- 6,000. **odin** diobh diobh /**òdìn** dìòβ dìòβ dìòβ/
- 7,000. **odual** diobh diobh diobh /**òdùàl** dìòβ dìòβ dìòβ/
- 8,000. obhabhanya diobh diobh diobh /ββάβάηα dìòβ dìòβ dìòβ/
- 9,000. esugho diobh diobh /ésùyó dìòβ dìòβ dìòβ/
- 10,000. diobh diobh diobh /dìòβ dìòβ dìòβ dìòβ/

1,000,000 (one million) as a pivotal numeral and counting in millions: 10 samples.

- 1,000,000. diobh diobh diobh diobh diobh
- 2,000,000. iwal diobh diobh diobh diobh diobh
- 3,000,000. isar diobh diobh diobh diobh diobh
- 4,000,000. inya diobh diobh diobh diobh diobh
- 5,000,000. ogho diobh diobh diobh diobh diobh
- 6,000,000. odin diobh diobh diobh diobh diobh
- 7,000,000. **odual** diobh diobh diobh diobh diobh
- 8,000,000. **obhabhanya** diobh diobh diobh diobh diobh
- 9,000,000. esugho diobh diobh diobh diobh diobh
- 10,000,000. diobh diobh diobh diobh diobh diobh

1,000,000,000 (one billion) as a pivotal numeral and counting in billions: 4 samples.

1,000,000,000,000 (one trillion) as a pivotal numeral and counting in trillions: 4 samples 1,000,000,000,000.

5,000,000,000,000.

3. Data analysis and findings

In a critique of numeral base systems, Beardon (2010) notes that "in base 10, the columns represent powers of 10 and have 'place value' $1, 10, 10^2, 10^3$, etc., reading from right to left. Abureni numerals are also read from left to right.

4.1 Counting rules on the traditional system.

The numeral 20 (twenty)

The numeral '20' is mentioned twenty times in the region 20 to 39. The next time it is mentioned is in the region 100 to 119, then it recurs after every 20 counts.

- 20. àdùsûbh /èdùsûβ / 'twenty.'
- 21. àdùsûbh na ònîn /èdùsûβ nè ònîn/
- 22. àdùsûbh na ìwàl /èdùsûβ nè ìwàl/
- 23. àdùsûbh na ìsàr/èdùsûβ nè ìsàr/
- 23. àdùsûbh na inya /èdùsûβ nè ìnè/
- 25. àdùsûbh nà òghò /àdùsûß nà nà òyò/
- 26. àdùsûbh nà òdìn /èdùsûβ nè òdìn/
- 27. àdùsûbh nà òdùàl /èdùsûβ nè òdùèl/
- 28. àdùsûbh nà òbhàbhànyâ /òdùsûβ nò òβàβànâ/
- 29. àdùsûbh nà ésùghó /àdùsûβ nà ésùyó/
- 30. adusûbh na dìòbh /adusûβ na dìòβ/ 'twenty and ten'; 'thirty.'
- 31. àdùsûbh nà dìòbh nà ònín /àdùsûb nà dìòb nà ònìn/
- 32. adùsûbh na dìòbh na iwal /adùsûb na dìòb na iwal/
- 33. àdùsûbh nà dìòbh nà ìsàr/àdùsûß nà dìòß nà ìsàr/
- 34. àdùsûbh nà dìòbh nà ìnyà /àdùsûb nà dìòb nà ìnà/
- 35. àdùsûbh nà dìòbh nà òghò /èdùsûß nè dìòß nè òyò/
- 36. àdùsûbh nà dìòbh nà òdìn/òdùsûb nò dìòb nò òdìn/

- 37. àdùsûbh nà dìòbh nà òdùàl /èdùsûb nè dìòb nè òdùàl/
- 38. àdùsûbh nà dìòbh nà òbhàbhànyâ /òdùsûβ nò dìòβ nò òβàβànâ/
- 39. àdùsûbh nà dìòbh nà ésùghó /èdùsûβ nè dìòβ nè ésùγó/ 'twenty and ten and nine'; 'thirty-nine.'

4.1.1 Counting to 40 (forty) for the first time

Upon counting to forty for the first time, numeral '40' is called *èrúbàl* /èrúbàl/. It is mentioned twenty times in the region 40 to 59. The next time it is mentioned is in the region 440 to 459, then it recurs after every four hundred counts.

- 40. èrúbàl /èrúbàl/ 'forty'
- 41. èrúbàl nà ònín /èrúbàl nà ònín/
- 42. èrúbàl nà <u>ì</u>wàl /èrúbèl nè <u>ì</u>wàl/
- 43. èrúbàl nà ìsàr/èrúbèl nè ìsàr/
- 44. èrúbàl nà ìnyà /èrúbèl nè ìnè/
- 45. èrúbàl nà òghò /èrúbàl nà òyò/
- 46. èrúbàl nà òdìn /èrúbàl nà òdìn/
- 47. èrúbàl nà òdùàl /èrúbàl nà òdùàl/
- 48. èrúbàl nà òbhàbhànyâ /èrúbàl nà òβàβànâ/
- 49. èrúbàl nà ésùghó /èrúbàl nà ésùyó/
- 50. èrúbàl nà dìòbh /èrúbèl nè dìòβ/ 'forty and ten'; 'fifty'
- 51. èrúbàl nà dìòbh nà ònín /èrúbàl nà dìòβ nà ònìn/
- 52. èrúbàl nà dìòbh nà ìwàl /èrúbèl nè dìòβ nè ìwàl/
- 53. èrúbàl nà dìòbh nà ìsàr/èrúbèl nò dìòβ nò ìsàr/
- 54. èrúbàl nà dìòbh nà ìnyà /èrúbàl nà dìòβ nà ìnà/
- 55. èrúbàl nà dìòbh nà òghò /èrúbàl nà dìòβ nà òyò/
- 56. èrúbàl nà dìòbh nà òdìn /èrúbàl nà dìòβ nà òdìn/
- 57. èrúbàl nà dìòbh nà òdùàl /èrúbàl nà dìòβ nà òdùàl/
- 58. èrúbàl nà dìòbh nà òbhàbhànyâ /èrúbàl nà dìòß nà òßàßànâ/
- 59. èrúbàl nà đìòbh nà ésùghó /èrúbàl nà đìòβ nà ésùγó/ 'forty and ten and nine'; 'fifty-nine.'

4.1.2 The numeral **60** (sixty)

The numeral '60' is mentioned twenty times in the region 60 to 79. The next time it is mentioned is in the region 460 to 479, then it recurs after every four hundred counts.

- 60. èrábhàràbh /èráβàràβ/ 'sixty.'
- 61. èrábhàràbh nà ònín /èráβàràβ nò ònín/
- 62. èrábhàràbh nà ìwàl/èráβàràβ nò ìwàl/
- 63. èrábhàràbh nà ìsàr/èráβàràβ nò ìsàr/
- 64. èrábhàràbh nà ìnyà / èráβàràβ nò ìpò/
- 65. èrábhàràbh nà òghò / èráβàràβ nè òyò/
- 66. èrábhàràbh nà òdìn /èráβàràβ nè òdìn/
- 67. èrábharabh nà òdual /èrábarab na òdual/
- 68. èrábhàràbh nà òbhàbhànyâ /èráβàràβ nè òβàβànâ/
- 69. èrábhàràbh nà ésùghó /èrábàràb nà ésùyó/
- 70. èrábhàràbh nà dìòbh /èráβàràβ nò dìòβ/ 'sixty and ten'; 'seventy.'
- 71. èrábhàràbh nà dìòbh nà ònín /èráβàràβ nà dìòβ nà ònìn/
- 72. èrábhàràbh nà dìòbh nà ìwàl/ raβàràβ nò dìòβ nò ìwàl/
- 73. èrábhàràbh nà dìòbh nà ìsàr/èrábàràb nò dìòb nò ìsàr/
- 74. èrábhàràbh nà dìòbh nà ìnyà /èráβàràβ nò dìòβ nò ìnò/
- 75. èrábhàràbh nà dìòbh nà òghò /èráβàràβ nò dìòβ nò òyò/
- 76. èrábhàràbh nà dìòbh nà òdìn /èráβàràβ nà dìòβ nà òdìn/
- 77. èrábhàràbh nà dìòbh nà òdùàl /èrábàràb nà dìòb nà òdùàl/
- 78. èrábharabh nà dìòbh nà òbhabhanya /èrábarab nà dìòb nà òbabana/
- 79. èrábhàràbh nà dìòbh nà ésùghó /èrábàràb nò dìòb nò ésùyó/

4.1.3 The pivot numeral 40 (forty)

Upon counting to 40, subsequent numerals are then expressed as units or multiples of forty, and èwálá /èwálá/ is used in place of èrúbàl /èrúbàl/, to serve as the pivot for values between forty and four hundred. It means that the Abureni numerals èrúbàl and èwálá mean the same thing and carry the same value equivalent to the Arabic numeral 40 (forty). Larger numerals with values more than forty (40) are broken down into multiples of forty, with the remaining fraction expressed in terms of twenties, tens, and units of ten.

40: èwálá/'forty', used to express multiples of forty.

80 <u>i</u>wàl <u>è</u>wálá /iwàl <u>è</u>wálá/ 'two-forties.' 'eighty' = 2 x 40

```
100 = (2 x 40) + 20
½wàl èwálá nà àdùsûbh
/ìwàl èwálá nò òdùsúβ/
'two-forties and twenty.'

177 = (4 x 40) + 10 + 7

ìnyà èwálá nà dìòbh nà òduàl
/ìpò èwálá nò dìòβ nò òdùòl/
'four-forties and ten and seven.'
```

4.1.4 The pivot numeral 400

The numeral 400 (four hundred) is derived from multiplying forty by ten: $(400 = 40 \times 10)$. This fact plays a significant role in the counting system, especially in calculations involving large numbers with values above four hundred.

400: \don'n /\don'n / 'four hundred'

Upon counting to four hundred (400), subsequent numerals are then expressed as units or multiples of four hundred, and <code>onor</code> /onor/serves as a pivot for values between four hundred and infinity. Such numerals are normally broken down into multiples of four hundred, with any remaining fraction further expressed in terms of forties, twenties, tens, and units of ten. Let us illustrate with the numerals 444, 503, 875, 1438 and 10,041 below:

1438 = (3 x 400) + (5 x 40) + 20 + 10 + 8

isàr ònîr nà òghò èwálá nà àdùsûbh diòbh na òbhàbhànyâ.

/isàr ònîr nà òγò èwálá nà àdùsûβ dìòβ nà òβàβànâ/

'three four-hundreds and five forties and twenty and ten and eight.'

10,041 = (25 x 400) + (1 x 40) + 1 àdùsûbh nà òghò ònîr nà èrúbàl nà ònîn /àdùsû β nà òyò ònîr nà èrúbàl nà ònîn/ 'twenty-five four-hundreds and forty and one.'

16,064 = (40 x 400) + 60 + 4
èrúbàl ònîr nà èrábhàràbh nà ìnyà
/èrúbòl ònîr nò èráβàràβ nò ìnò/
'forty four-hundreds and sixty and four.'

4.1.5 Numerals beyond 400

Upon counting to four hundred, subsequent numerals are then expressed as units or multiples of four hundred, and $\underline{\acute{o}n\hat{\mathbf{r}}}$ serves as a pivot for values between four hundred and infinity.

160,000 = 400 x 400 ònír ònír /onír ónîr/ 'four hundred four-hundreds.'

Infinity (∞) onù ówal bo /onò ówal bo/ 'uncountable number' or 'infinity.'

4.2 The significance of numerals four (4), ten (10), forty (40) and four hundred (400)

There are four key numerals – four (4), ten (10), forty (40) and four hundred (400) – that act as significant reference points or pivots in the Abureni numeral system. From the above analysis, the numeral four (4) is considered the root upon which the Abureni numeral system is built. In mathematical and computing terms, the Abureni numeral system would be described as having the primary features of 'base-4' numeral system but using the 1st and 2nd indices of 10 (numerals 10 and 100 respectively), in the 'base-10' system as multipliers.

Table 1
An illustration of how Abureni numerals combine the features of base-4 system and base-10

		Arabic numeral		
Abureni numeral	Gloss	Numeral	Index form in base-4 and	
			base-10	
ònîn	'one'	1	4º x 10º	
ìny <u>à</u>	'four'	4	4 ¹ x 10 ⁰	
èrúb <u>à</u> l	'forty'	40	$4^1 \times 10^1 = (40)^1$	
òn <u>î</u> r	'four-hundred'	400	$4^1 \times 10^2 = (400)^1$	
òn <u>î</u> r tá òn <u>î</u> r	'four-hundred times	400 x 400	$4^2 \times 10^4$	
	four-hundred'	= 160,000	$=(400)^2$	
òn <u>î</u> r tá òn <u>î</u> r tá òn <u>î</u> r	'four-hundred times	400 x 400 x 400	$4^3 \times 10^6$	
	four-hundred times	= 64,000.000	$=(400)^3$	
	four-hundred'			
òn <u>î</u> r t <u>á</u> òn <u>î</u> r t <u>á</u> òn <u>î</u> r	'four-hundred times	400 x 400 x 400 x 400	4 ⁴ x 10 ⁸	
tá ònîr	four-hundred times	= 25,600.000.000	$=(400)^4$	
	four-hundred times			
	four-hundred'			

4.3 The place of indices in Abureni numerals and the applicable rules

Abureni numerals in the region between zero and forty employ the numeral **10** as pivot, which follows the base 10 numeral system as in most African languages. The numeral 20 also acts as a midway pivot. However, when it is required to state numerical values in the region between 40 and 400, the numeral **40** becomes the pivot. Similarly, when it is required to state extremely high numerical values in the region between 400 and infinity, the numeral **400** becomes the pivot. It means that in this region, the combination of the numerals 400, 40, 20, 10 and units of 10 are used to derive a particular numerical value. For completeness, the

Abureni numeral system may be described to have primary features of 'base-4' with complements of 'base-10'.

a) Rules for counting numerals in the region between zero and 40.

ònîn /ònîn/

$$1 = 4^0 \times 10^0$$
 [note that $4^0 = 1$; $10^0 = 1$]

 ìnyà /ìpà/
 $4 = 4^1 \times 10^0$

 dìòbh /dìòβ/
 $10 = 1(4^0 \times 10^1) = 1 \times 4^0 \times 10^1$

 àdùsûbh /àdùsûβ/
 $20 = 2(4^0 \times 10^1) = 2 \times 4^0 \times 10^1$

 àdùsûbh dìòbh /àdùsûβ dìòβ/
 $30 = 3(4^0 \times 10^1) = 3 \times 4^0 \times 10^1$

 èrúbàl /èrúbàl/
 $40 = 4(4^0 \times 10^1) = 4 \times 4^0 \times 10^1$

b) Rules for counting numerals in the region between 40 and 400.

èwálá /èwálá/	40	=	$1(4^1 \times 10^1)$	=	$1 \times 4^1 \times 10^1$
ìwal èwálá /ìwàl èwálá/	80	=	$2(4^1 \times 10^1)$	=	$2 \times 4^1 \times 10^1$
ìsàr èwálá /ìsàr èwálá/	120	=	$3(4^1 \times 10^1)$	=	$3 \times 4^1 \times 10^1$
ìnyà èwálá /ìnò èwálá/	160	=	$4(4^1 \times 10^1)$	=	$4 \times 4^1 \times 10^1$
òghò èwálá/òyò èwálá/	200	=	$5(4^1 \times 10^1)$	=	$5 \times 4^1 \times 10^1$
òdìn èwálá/òdìn èwálá/	240	=	$6(4^1 \times 10^1)$	=	6 x 4^1 x 10^1
òdùàl èwálá [òdùòl èwálá]	280	=	$7(4^1 \times 10^1)$	=	$7 \times 4^1 \times 10^1$
òbhàbhànyâ èwálá /òβàβànà	èwálá/	320	$= 8(4^1 \times 10^1)$	=	$8 \times 4^1 \times 10^1$
ésùghò èwálá /ésùyó èwálá/	360	=	$9(4^1 \times 10^1)$	=	$9 \times 4^1 \times 10^1$
Òn <u>î</u> r /ònîr/	400	=	$10(4^1 \times 10^1)$	=	10 x 4 ¹ x 10 ¹

<u>Note</u>: the numeral $400 = 10 \times 40$. In the Abureni numeral system, **dìòbh èwálá** /dìò β èwálá/, which is the '**tenth forty**' in the series, is called **ònîr** (400).

c) Rules for counting numerals in the region between 400 and infinity (∞).

Ònîr /ònîr/	400	=	$1(4^1 \times 10^2)$	=	$1 \times 4^1 \times 10^2$
ìwàl ònîr/ìwàl ònîr/	800	=	$2(4^1 \times 10^2)$	=	$2 \times 4^1 \times 10^2$
ìsàr ònîr /ìsàr ònîr/	1200	=	$3(4^1 \times 10^2)$	=	$3 \times 4^1 \times 10^2$
ìnyà ònîr /ìnò ònîr/	1600	=	$4(4^1 \times 10^2)$	=	$4 \times 4^1 \times 10^2$
òghò ònîr/òyò ònîr/	2000	=	$5(4^1 \times 10^2)$	=	$5 \times 4^1 \times 10^2$
òdìn ònîr/ odìn ònîr/	2400	=	$6(4^1 \times 10^2)$	=	6 x 4^1 x 10^2
òdùàl ònîr/òdùòl ònîr/	2800	=	$7(4^1 \times 10^2)$	=	$7 \times 4^1 \times 10^2$
òbhàbhànyâ òn <u>î</u> r /òβàβànàòn	îr/ 3200) =	$8(4^1 \times 10^2)$	=	$8 \times 4^1 \times 10^2$
ésùghò ònîr/ésùyó ònîr/	3600	=	$9(4^1 \times 10^2)$	=	$9 \times 4^1 \times 10^2$
dìòbh ònîr/dìòβ ònîr/	4000	=	$10(4^1 \times 10^2)$	=	10 x 4^1 x 10^2

ònír ónîr /ònír ònîr/ 'four hundred four-hundreds' = **400(400)** ònír tá ónîr (ònír t'ónîr) /ònír t'ònîr/ = $400 \times 400 = 160,000$ ònír tá ónîr /ònír tó ónîr/ 'four hundred times four hundred'

=
$$\mathbf{1}\{(4^1 \times 10^2)\}^2 = \mathbf{1}(4^2 \times 10^4) = \mathbf{1} \times 4^2 \times 10^4$$

= $160,000 = 1.6E + 5$ (in standard form).
(one hundred and sixty thousand)

lwàl ònír tá ónîr /iwàl ònír tó ónîr/ 'two four hundred four-hundreds'

=
$$2{(4^1 \times 10^2)}^2$$
 = $2(4^2 \times 10^4)$ = $2 \times 4^2 \times 10^4$
= $320,000$ = $3.2E + 5$ (in standard form).
(three hundred and sixty thousand)

ònír ònír ónîr / ònír ònír ónîr/

'four hundred four-hundreds'

=(400)(400)(400)

ònír tá ónír tá ónîr /ònír tá ònír tá ónîr/

'four hundred times four hundred'

$$= 400 \times (400 \times 400)$$

=
$$\mathbf{1}\{(4^1 \times 10^2)\}^3 = \mathbf{1}(4^3 \times 10^6) = \mathbf{1} \times 4^3 \times 10^6$$

$$= 64,000,000 = 6.4E + 8$$
 (in standard form) (sixty four million)

ìwàl ònír tá ónír tá ónîr /ìwàl ònír tá ònír tá ónîr/

'two four hundred times four-hundred times four-hundreds'

$$= 2 \times 400 \times (400 \times 400)$$

$$= 2{(4^1 \times 10^2)}^3 = 2(4^3 \times 10^6) = 2 \times 4^3 \times 10^6$$

$$= 128,000,000 = 1.28E + 8$$
 (in standard form). (one hundred and twenty-eight million)

ònír ònír ònír ónîr />
ònír ònír ónîr/

'four hundred four-hundred four-hundreds'

$$= (400)(400)(400)(400)$$

ònír tá ónír tá ónír tá ónîrònír ònír tó ònír tó ónîr/

$$= (400 \times 400) \times (400 \times 400) = 256,000,000$$

=
$$\mathbf{1}\{(4^1 \times 10^2)\}^4 = \mathbf{1}(4^4 \times 10^8) = \mathbf{1} \times 4^4 \times 10^8$$

$$= 25,600,000,000 = 2.56E + 10$$
 (in standard form). (twenty five billion six hundred million)

ìwàl ònír tá ónír tá ónír tá ónîr

/ìwàl ònír tó ònír tó ònír tó ónîr/

'two four hundred times four hundred times four-hundred times four-hundreds'

$$= 2(400)(400)(400)(400)$$

=
$$2{(4^1 \times 10^2)}^4$$
 = $2(4^4 \times 10^8)$ = $2 \times 4^4 \times 10^8$

```
= 51,200,000,000 = 5.12E + 10 (in standard form). (fifty one billion two hundred million)
```

ònír ónír ónír ónír ónîr

/ànír ànír ànír ànír ánîr/

'four hundred four-hundred four-hundred four-hundreds'

=400(400)(400)(400)(400)

ònír tá ónír tá ónír tá ónír tá ónîrònír tá ònír tá ònír tá ònír tá ónîr

=
$$400 \times (400 \times 400) \times (400 \times 400)$$

= $\mathbf{1} \{ (4^1 \times 10^2) \}^5 = \mathbf{1} (4^5 \times 10^{10}) = \mathbf{1} \times 4^5 \times 10^{10}$

= 10,240,000,000,000 = 1.024E+13 (in standard form). (ten trillion two hundred and forty billion)

ìwàl ònír tá ónír tá ónír tá ónír tá ónîr /ìwàl ònír tó ònír tó ònír tó ònír tó ónîr/

'two four hundred times four-hundred times four-hundreds'

=
$$\mathbf{2}(400)(400)(400)(400)(400)$$

= $\mathbf{2}\{(4^1 \times 10^2)\}^5 = \mathbf{2}(4^5 \times 10^{10}) = \mathbf{2} \times 4^5 \times 10^{10}$
= $20,480,000,000,000 = 2.048E+13$ (in standard form). (twenty trillion four hundred and eighty billion)

Tà ówàl òkúá òkúá tútún ònù ówâl bǒ/ tè ówàl òkúá òkúá tútún ònò ówâl bǒ/ 'The counting continues that way until **infinity**'

4.4 The concept of zero [0]

4.5 Recurring numerals in the Abureni counting system

The study notes that certain numerals reoccur in the traditional counting system. There are fifteen of such numerals which are the most significant reference numerals in the Abureni numeral system.

Table 2
Recurring numerals in the Abureni traditional counting system

1. onin [ònín]	6. odin [òdìn]	20. adusubh [ədusuβ]
2. <u>i</u> wal [ìwàl]	7. odual [òdùàl]	40. erubal [èrúbèl]
3. <u>i</u> sar [ìsàr]	8. obhabhanya [òβàβànâ]	40. ewala [èwálá] (a multiple of 40 used for
		large numbers greater than 40)
4. inya [ìnò]	9. esugho [ésùγó]	60. erabharabh [èráβàràβ]
5. ogho [ὸγὸ]	10. diobh [dìòβ]	400. onir [onîr]

4.6 Points of synergy between the Abureni counting system and base-10

Analogy could be drawn in the usage of pivot numerals as multipliers to derive high numerical values with respect to the numeral '400' in Abureni counting system, and numeral '1000' in the base-10 system. **Ònîr**, which is the numeral 400 in Abureni counting system under base-4, may be considered analogous to the way '**one thousand**' (1000) functions in stating large numerals in the English counting system under base-10. Another point of synergy is the cyclic nature in which the multiples of the pivotal numerals are derived in the counting of large numbers. This plays an important role in the modelling of a base-10 version of the indigenous counting system of Abureni.

Table 3

An analogy between the use of numeral 400 in the Abureni traditional counting system and numeral 1,000 in the base-10 system in deriving high numerical values

Abureni traditional counting system: Use of 400 as pivot to derive high numerical values				
Ònîn	$1 = 4^0$ $4^0 \times 10^0$			

ìnyà	$4 = 4 \times 1$	$4^{1} \times 10^{0}$
èrúb <u>à</u> l	40 = 4 x 10	4 ¹ x 10 ¹
òn <u>î</u> r	400 = 4 x 100	$4^1 \times 10^2 = (400)^1$
òn <u>î</u> r tá òn <u>î</u> r	400 x 400	$4^2 \times 10^2 = (400)^2$
òn <u>î</u> r tá ón <u>î</u> r tá ón <u>î</u> r	400 x 400 x 400	$4^3 \times (10^2)^3 = (400)^3$
ónîr tá ónîr tá ónîr tá ónîr	400 x 400 x 400 x 400	$4^4 \times (10^4)^4 = (400)^4$
English (international): Use of 1,000 to	derive high numerical values in l	base-10 (analogy)
One	1	100
Ten	$10 = 10 \times 1$	10^{1}
one hundred	$100 = 10 \times 10$	10^{2}
one thousand	1,000 = 10 x 100	$10^3 = (1000)^1$
one million	1,000,000 = 1000 x 1000	$10^6 = (1000)^2$
one billion	1,000,000,000	$10^9 = (1000)^3$
	= 1000 x 1000 x 1000	
one trillion	1,000,000,000,000	$10^{12} = (1000)^4$
	= 1000 x 1000 x 1000 x 1000	

4.7 The base-10 method of counting numerals in Abureni

The difficulty in counting beyond four hundred has been highlighted. There is no specific single numeral that describes any value beyond four hundred in Abureni (other than its multiples). From four hundred, the process of counting is achieved by addition and multiplication in various forms. So, it continues till infinity. As the numbers increase, the counting process becomes more complex and unimaginable from the numeral data that has been analysed.

Therefore, it becomes necessary to consider adopting the method of counting in the modern world where large numbers are derived from multiples of 10. The approach is to apply the base-10 system of counting, using Abureni linguistic terminology.

Table 4
A model of Abureni numerals in base-10 with illustration of meanings using indices for values of 1,000 and below

Base-10 numerals	Abureni numeral in base-10 terms	Base-10 numerals in indices	Meaning in Abureni
1. one	onin [ònín]	10^{0}	ònîn
10. ten	diobh [dìòβ]	10^{1}	dìòβ ònîn ìg ^j èl

20. twenty	iwal diobh [ìwàl dìòβ]	2*10 ¹	ìwàl dìòβ
30. Thirty	isar diobh [ìsàr dìòβ]	3*10 ¹	ìsàr d੍ìòβ
40. forty	inya diobh [ìnà dìòβ]	4*10 ¹	ìnà dìòβ
50. fifty	ogho diobh [òγò dìòβ]	5*10 ¹	ὸγὸ ἀμὸβ
60. sixty	odin diobh [òdìn dìòβ]	6*10 ¹	òdìn dìòβ
70. seventy	odual diobh [òdùàl dìòβ]	7*10 ¹	òdùàl dìòβ
80. eighty	obhabhanya diobh	8*10 ¹	δβάβὰμα δίὸβ
	[ὸβὰβὰμᾶ ἀἰὸβ]		
90. ninety	esugho diobh [ésùγó dìòβ]	9*10 ¹	ésùγó dìòβ
100. one hundred	diobhdiobh [dìòβdìòβ]	10^{2}	dìòβ ìwàl ìg ^j èl
200. two hundred	iwal diobhdiobh [ìwàl	2*10 ²	ìwàl dìòβdìòβ
	dìòβdìòβ]		
300. three hundred	<u>i</u> sar diobhdiobh [ìsàr	$3*10^2$	ìsàr qìòβqìòβ
	<u> </u>		
400. four hundred	inya diobhdiobh [ìnè	4*10 ²	ὶμὸ ἀἰὸβαἰὸβ
	d̞ὶὸβd̞ὶὸβ]		
500. five hundred	diobhdiobh [òγò dìòβdìòβ]	5*10 ²	ὸγὸ ἀιὸβαιὸβ
600. six hundred	diobhdiobh [òdìn dìòβdìòβ]	6*10 ²	òdìn dìòβdìòβ
700. seven hundred	odual diobhdiobh	7*10 ²	òdùàl dìòβdìòβ
	[ὸdùǝl dìòβdìòβ]		
800. eight hundred	obhabhanya diobhdiobh	8*10 ²	
	[ὸβὰβὰμᾶ ἀμὸβαμὸβ]		
900. nine hundred	esugho diobhdiobh	9*10 ²	ésùγό dìòβdìòβ
	[ésùγό dìòβdìòβ]		
1,000. one thousand	diobhdiobhdiobh	10^{3}	dìòβ ìsàr ìg ^j èl
	[d̞ιὸβd̞ιὸβd̞ιὸβ]		

Table 5
A model of Abureni numerals in base-10 with illustration of meanings using indices for values above 1,000

Base-10 numerals	Base-10 numerals in Abureni	Indices	Meaning in Abureni
10,000. ten thousand	diobh diobhdiobh	10^{4}	diobh inya ìgiel
	[զἰὸβ զἰὸβαἰὸβαἰὸβ]		[d̞ìòβ i̞ɲǝ̀ ig̞ièl]
100,000. one hundred	diobhdiobh diobhdiobh	10^{5}	diobh ogho ìgiel
thousand			[d̞ìòβ òɣò ìgʲèl]
1,000,000. one million	diobhdiobhdiobh diobhdiobh	10^{6}	diobh odin igiel
			[dìòβ òdìn ìg ^j èl]
1,000,000,000	diobhdiobhdiobh diobhdiobh	109	diobh esugho igiel
one billion	diobhdiobhdiobh		[d̞ìòβ ésùγó ìgʲèl]

1,000,000,000,000	diobhdiobhdiobh diobhdiobh	10^{12}	diobh diobh na <u>i</u> wal igiel
one trillion	diobhdiobhdiobh diobhdiobh		[dìòβ dìòβ nà ìwàl ìg ^j èl]

Table 6
The powers of the numeral 10 (ten) expressed in Abureni terminology

ten	10	dìòbh (dìòbh ònîn-ìgiel)
one hundred	100	dìòbh ìwàl-ìgièl
one thousand	1,000	dìòbh ìsàr-ìgìèl
ten thousand	10,000	dìòbh ìnyà-ìgìèl
one hundred thousand	100,000	dìòbh òghò-ìgièl
one million	1,000,000	dìòbh òdìn-ìgìèl
ten million	10,000,000	dìòbh òdùàl-ìgìèl
one hundred million	100,000,000	dìòbh òbhàbhànyâ-ìgìèl
one billion	1,000,000,000	dìòbh èsúghò-ìgìèl
ten billion	10,000,000,000	dìòbh dìòbh-ìgìèl
one hundred billion	100,000,000,000	dìòbh dìòbh nà ònîn-ìgièl
one trillion	1,000,000,000,000	dìòbh dìòbh nà ìwàl-ìgièl
ten trillion	10,000,000,000,000	dìòbh dìòbh nà ìsàr-ìgièl
one hundred trillion	100,000,000,000,000	dìòbh dìòbh nà ìnyà-ìgìèl
one thousand trillion	1,000,000,000,000,000	dìòbh dìòbh nà òghò-ìgièl
ten thousand trillion	10,000,000,000,000,000	dìòbh dìòbh nà òdìn-ìgièl
one hundred thousand trillion	100,000,000,000,000,000	dìòbh dìòbh nà òdùàl-ìgièl
one million trillion	1,000,000,000,000,000,000	dìòbh dìòbh nà òbhàbhànyâ-ìgìèl
one billion trillion	1,000,000,000,000,000,000,000	dìòbh àdusúbh nà ònîn-ìgìèl
one trillion trillion	1,000,000,000,000,000,000,000,000	dìòbh àdusúbh nà ìnyà-ìgìèl

4.8 Applications of base-10 and potential benefits to Abureni

An example of base-10 application is the metric system of measurement in metres, which so many countries presently use for linear dimensions, compared to the Imperial System that measures in feet. According to Meleen (2021) the metric system is better in today's world because it is an almost universal standard that is easier to use because of the way the measurements relate to each other as multiples of 10. Even for large linear measurements in the Imperial System, it is easier to apply the principles of base-10 than the traditional counting system. For example, let us compare the way the distance of one mile would be measured in the Abureni traditional counting system and in base-10 format.

Basis: 1 mile is equivalent to 880 (eight hundred and eighty) fathoms. In Encyclopaedia Britannica (2013), a fathom is measured to be 6 feet (1.83 metre), "the longest of many units

derived from an anatomical measurement," and that it "originated as the distance from the middle fingertip of one hand to the middle finger of the other hand of a large man holding his arms fully extended."

The length of one **fathom** of cloth is six (6) feet.

ònîn ékùdí úkpè /ònîn ékùdí úkpè/ 'one fathom of cloth' (common knowledge in Abureni).

```
àkùbú /èkùbú/ 'fathom'
ònîn àkùbú /ònîn èkùbú/ 'one fathom (6 feet)'

one mile (880 fathoms)
àwàl ònîr nà àwàl èwálá ákúbú /ìwàl ònîr nà ìwàl èwálá ékúbú/
'two four-hundreds and two-forties fathoms'
```

$$= [(2 \times 400) + (2 \times 40)] \hat{a}k\hat{u}\hat{b}\hat{u}$$

In base-10 terms, one mile (880 fathoms) will be translated as:

òbhàbhànyâ dìòbhdìòbh nà òbhàbhànyâ dìòbh àkúbú>òβàβànâ dìòβdìòβ nà òβàβànâ dìòβ òkúbú/

'eight ten-tens and eight tens **fathoms**' $= [8(10^{2}) + 8(10^{1})] \quad \mathbf{\hat{a}k\hat{u}b\hat{u}}$

5. Challenges and corrective actions

- a) Resistance to change over the introduction of the base-10 counting system, and fear of replacing or losing the indigenous counting system. Such concerns have been expressed in similar works over the potential impact of the decimal system on the indigenous method of counting if it is not adapted appropriately. In Urua et al (2020:245), Awoyale observes with a poser: "Given the technological advantage of the decimal system, would that lead to the demise of the traditional system?" It ought not result to that.
- b) Learning and teaching of Base-10 as an alternative counting system will take time for it to be embedded as a tool of the modern day.

- c) Lack of teachers on the indigenous language itself as Abureni language is still at the early stage of documentation.
- d) Presently, some native speakers are not able to competently count in the traditional method, especially among the young generation. They first need to understand the indigenous counting method before learning new ideas, such as the base-10 counting system.

6. Recommendations

Based on the results of the study, it is recommended that:

- a) Awareness should be created concerning the benefits of base-10 and its application, using examples in the computation and business environment of today. The decimal system should be established and tested side-by-side with the indigenous counting system, while emphasizing the need to sustain the latter as a cultural heritage.
- b) The learning and teaching of base-10 counting system should be included in the scope of the Abureni Documentation and Advocacy Project, and in the school curricula.
- c) The train-the-trainer strategy should be adopted in identifying and training teachers on both the indigenous and base-10 counting systems.
- d) The base-10 counting system should be included in the indigenous language curriculum while developing learning templates that would address specific applications across age groups.

7. Conclusion

The analysis shows that there are points of synergy between the Abureni traditional counting system and that of base-10. Translating the numerals to the indigenous language helps to bring out their meanings for better understanding of the features of the new system. One principal point of synergy is the numeral 10 (ten), which appears as a fundamental cyclic unit in both systems. The second feature is that both systems use pivotal numerals which serve as reference points to derive larger numbers. The idea of performing addition or subtraction or multiplication operations on figures is inherent in the traditional system that was investigated.

This paper is of the view that it is possible to produce a base-10 model for a language without disrupting the indigenous numbering pattern. This means that the traditional counting system and its base-10 counting model should be treated as separate but related counting

systems of the language in question. It is anticipated that this work would be seen as an attempt to contribute to the discourse on the impact of globalization on indigenous languages, especially on numeral systems.

References

- American heritage dictionary definition: forty-. (2011) *American heritage*® *dictionary of the English language, fifth edition*. Retrieved May 30 2021 from https://www.thefreedictionary.com/forty-
- Beardon, T. (2010). Learn about number bases. NRICH millennium mathematics project: *Learn about number bases*, *Age 11-18*, published 2000 revised 2010. Cambridge University. https://nrich.maths.org/1368. Accessed 19th April 2021.
- Benton, M. (2020). Paul Grice Philosophy. In *Oxford Bibliographies*. 29 July 2020. DOI:10.1093/OBO/9780195396577-0257. https://www.oxfordbibliographies.com/view/document/obo-9780195396577/obo/9780195396577-0257-0257.xml. Accessed 30th August 2022.
- Betti, M. J. (2021). Grice's Maxims. In *Research Gate*. September 2021. DOI:10.13140/RG.2.2.12486.60487. https://www.researchgate.net/publication/354554834 Grice%27s Maxims. Accessed 30th August 2022.
- Britannica, T. Editors of Encyclopaedia (2013, July 22). *Fathom. Encyclopedia Britannica*. https://www.britannica.com/science/fathom. Accessed 30th May 2021.
- Chan, E. S. L (2020). Counting concepts and numeral systems project (African languages). www.https:/mpi-lingweb.ssh.mpg.de/numeral/abureni.htm. Accessed 31st March 2021.
- Dada, S. A; Owoeye, O; Ojo, G.A. (2015). Indigenous language maintenance in Nigeria. *Journal of Linguistics Studies, 1 (1), pp 1-35.*
- EasyCalculations. (2021). What is standard form definition and meaning. https://www.easycalculation.com/maths-dictionary/standard_form.html#:~:text. Accessed 27th May 2021.

- Etire, D. (2015). Ówàl Ábùrénì 'Abureni numerals.' Port Harcourt: Onyoma research publications.
- Etire, D. (2020). Abureni numerals 1-2000. In Chan, E. S. L (Ed.). *Counting concepts and numeral systems project (African Languages)*. www.https:/mpilingweb.ssh.mpg.de/numeral/abureni.htm. Accessed 31st March 2021.
- Grandy, R. E. (1989). On Grice on language. In *The Journal of Philosophy*. Volume 86, Issue 10, October 1989. pp. 514-525.

 https://www.pdcnet.org/jphil/content/jphil 1989 0086 0010 0514 0525. Accessed 30th August 2022.
- Ikoko-Okparan, T. D. D; Awaki-Gam Dede, S. C; Mangi-Pegi, S. (2007). *Nembe numerals*. Port Harcourt: Onyoma Research Publications.
- Madighi, W. I. 2019. Ibal Abuan. Port Harcourt: Pearl Publishers International.
- Merriam-Webster (2021). Quaternary. In *Merriam-Webster.com dictionary (since 1828)*. https://www.merriam-webster.com/dictionary/quaternary. Accessed 20th April 2021.
- Meleen, M. (2021). "Metric system vs. imperial system: differences and use."

 <u>Metric System vs. Imperial System: Differences and Use (your dictionary.com).</u>

 Accessed 30th March 2021.
- Morris, M. (2006). Grice on meaning. In *An Introduction to the Philosophy of Language* (Cambridge Introductions to Philosophy, pp. 248-270). Cambridge: Cambridge University Press. doi:10.1017/CBO9780511801464.014.
- Oxford Dictionary on LEXICO. (2021). "Base."
 - BASE | Definition of BASE by Oxford Dictionary on Lexico.com also meaning of BASE. Accessed 24th May 2021.
- Shatz, I. (2019). Grice's Maxims of Conversation: The Principles of Effect Communication. *Effectiviology*. October 19, 2019. https://effectiviology.com/principles-of-effective-communications/. Accessed 30th August 2022.

- Weisstein, E. W. "Base." From *MathWorld* A Wolfram web resource. https://mathworld.wolfram.com/Base.html. Accessed 19th April 2021.
- Weisstein, E. W. "Decimal." From *MathWorld* A Wolfram web resource. http://mathworld.wolfram.com/Decimal.html. Accessed 20th April 2021.
- Weisstein, E. W. "Quaternary." From *MathWorld* A Wolfram web resource. http://mathworld.wolfram.com/Quaternary.html. Accessed 19th April 2021.
- Williamson, K. (1989). "Benue-Congo overview". In Bendor-Samuel, John and Hartell, Rhonda L. (Eds), *The Niger-Congo languages*. New York: University Press of America.
- Wilson, D. & Sperber, D. (1981). *Relevance theory*.

 https://www.phon.ucl.ac.uk/publications/wpl/02papers/wislon_sperber.pdf.

 Accessed 12th April 2021